

~~3/24~~ 3/25  
~~15/11/19~~ 14/10/19  
~~3/30~~ 29/10/19  
~~2/13 B~~ 16/9/19  
1/17  
17.1.20

# NAGAR NIGAM, GORAKHPUR

Name of Work : एन-2 रोड पर सिमेंट सोलिंग का काम  
 Estimated Cost : ₹ 40605/-  
 Earnest Money Rs. : ₹ 40605/-  
 Due date of Tender : ~~29.10.19~~ ~~16.9.19~~ ~~11.10.19~~ ~~15.11.19~~ 18.1.20  
 Name of Contractor Sri. : .....  
 Junior Engineer : .....

*[Signature]*  
S.E.

*[Signature]*  
Assistant Engineer

*[Signature]*  
Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No	Particular	Qty.	Unit	Rate
1	Dismantling old and damaged bce Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup>	.....
2	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>2</sup>	.....
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete.	108.75	Per M <sup>3</sup>	317/-
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup>	.....
4	Laying the B O E. soling laid on edge with prescribed camber and slope with Sub Brcks	640.0	Per M <sup>3</sup>	400/-
5	Same as above item no. 3 but for flsoling with Sob Brcks.	.....	Per M <sup>3</sup>	.....

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

- 3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.

- 4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure \_\_\_\_\_% above/below  
(b) in words \_\_\_\_\_% above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer


2/17  
1-1-20

~~4/21~~  
15/11/19
 

~~3/30~~  
23/11/19
 

~~4/28~~  
14/10/19

## NAGAR NIGAM, GORAKHPUR

Name of Work : ~~.....~~ गौरी-4 पर सड़क का निर्माण (एन.एम) की शर्त में  
 Estimated Cost : ~~.....~~ 157,253/-  
 Earnest Money Rs. : ~~.....~~ 157,253/-  
 Due date of Tender : ~~23/11/19~~ ~~14/10/19~~ ~~15/11/19~~ 17/1/20  
 Name of Contractor Sri. : .....  
 Junior Engineer  : .....

  
 Assistant Engineer
 
  
 Executive Engineer

### BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	102.375	Per M <sup>3</sup> =	317/-
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	312.40	Per M <sup>3</sup> =	400/-
5	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>2</sup> =	

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

1. I/We deposited earnest money (Yes/No)
2. Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below  
(in words)

or mentioned estimated rates.

I/We agree with terms and conditions and specification of work on Nagar-Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

1- Rates area (a) in Figure \_\_\_\_\_ % above/below  
(b) in words \_\_\_\_\_ % above/below.

2. Cutting or overwriting No./Yes
3. E. M Attached No./Yes
4. Any other

Assistant Engineer

Executive Engineer

~~3/17~~  
~~17/1/20~~
~~2/30~~  
~~23/9/19~~
~~5/21~~  
~~15/11/19~~

## NAGAR NIGAM, GORAKHPUR


Name of Work : असतम वि. मध्यम (सि. नं. 1) का पक्का बंधा का काम (असतम)

Estimated Cost : ₹ 424015/-

Earnest Money Rs. : ₹ 12102/-

Due date of Tender : ~~23/9/19~~ - ~~15/11/19~~ - 17/1/20

Name of Contractor Sri. : .....

Junior Engineer  : .....

  
 Assistant Engineer
 
  
 Executive Engineer

### BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	320.125	Per M <sup>3</sup> =	317/-
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	800	Per M <sup>3</sup> =	400/-
5.	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>2</sup> =	

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No).
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

- 3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.
- 4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure \_\_\_\_\_% above/below (b) in words \_\_\_\_\_% above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer

~~4/17~~ ~~15/11/20~~ ~~15/11/19~~ ~~35/88~~ ~~17/11/18~~ ~~31/31~~ ~~29/8/19~~ ~~11/5/13~~ ~~14/11/19~~ ~~7/2/19~~

# NAGAR NIGAM, GORAKHPUR


Name of Work : गठ. नि. 1/1/19/19 का अन्तर्गत नगरपालिका क्षेत्रको विकास  
रोडको कामको निर्यात 31.15 का अन्तर्गत

Estimated Cost : ~~10,284,664/-~~

Earnest Money Rs. : ~~1,284,664/-~~

Due date of Tender : ~~17/11/18~~ ~~29/8/19~~ ~~16/11/19~~ ~~15/11/19~~  
17/12/20

Name of Contractor Sri. : .....

Junior Engineer : 

  
Assistant Engineer

  
Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	.....	Per M <sup>3</sup> =	
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4.	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup> =	
5.	Same as above item no. 3 but for flaisoling with Sob Bricks.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4½" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	1.944	Per M <sup>3</sup> =	120.00
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1:6:12 with cement sand and 4cm gauge brick ballast in foundation complete	2.43	Per M <sup>3</sup> =	3160.00
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	3.105	Per M <sup>3</sup> =	4530.00
20/a	P/S of Black Grate slab up 50 m <sup>2</sup>	59.40		3216.00
21.	M-150 class B/W in 1:3 cement and approved coarse sand mortar in foundation plinth complete	.....	Per M <sup>3</sup> =	
21/a	Letter Printing	1500 no		7.00
22.	Cement plaster 1:4 cement and sand mortar on wall complete	.....	Per M <sup>2</sup> =	
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	.....	Per M <sup>2</sup> =	



Si. No.	Particular	Qty.	Unit	Rate
24/a.	Cement struck pointing 1:2 cement and sand mortar complete.	.....	Per M <sup>2</sup> =	
24/b	Baricading	13.00	Rmd.	18.00
24/b.	Cement flush pointing 1:2 cement and sand mortar complete for flush pointing	.....	Per M <sup>2</sup> =	
25/a	R.C.C. work 1:2:4 cement approved coarse sand and 2cm gauge stone grit including centering and shuttering complete excluding cost of reinforcement.	4.334	Per M <sup>3</sup> =	5790.00
25/b	Same as above item No. 25/a but for R.C.C. beam cement 1:2:4: complete	.....	Per M <sup>3</sup> =	
26.	Supply of M.S. reinforcement in R.C.C. work including its cutting and bending complete.	5.150	Per Qtls.	4700
27/a	Supply of M.S. plate including loading unloading and cartage labour T&P etc. complete.	.....	Per Kg.	
27/b.	Same as above item No. 27/a but for fabrication M.S. Iron grill work complete of M.S.I. (8)	.....	Per Kg.	
27/c	Side clearing By labour	10000	each	28000
28.	B.O.E. floor with 1:6 cement sand mortar with painting 1:2 cement sand mortar over 8 cm thick base coare 1:6:12 with cement sand and 4 cm brick ballast.	.....	Per M <sup>2</sup> =	

### Deduction :

- (a) Cost of Old bricks ----- Per thousand
- (b) Cost of Old brick bats. ----- 55.00 Per M<sup>3</sup>

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below  
(in words) \_\_\_\_\_  
or mentioned estimated rates.

4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure \_\_\_\_\_ % above/below  
(b) in words \_\_\_\_\_ % above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer

5/17  
17-1-20

# NAGAR NIGAM, GORAKHPUR

Name of Work : अ.र.13 अर्धकाली (सड़क) परियोजना कार्य  
नाम के निर्माण कार्य

Estimated Cost : ₹ 1,43,560/-

Earnest Money Rs. : ₹ 17,356/-

Due date of Tender : 17-1-20

Name of Contractor Sri. : \_\_\_\_\_

Junior Engineer : \_\_\_\_\_

  
Assistant Engineer

  
Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	2175	Per M <sup>3</sup> =	400/-
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	34174	Per M <sup>3</sup> =	3171/-
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup> =	
5.	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>3</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
6.	Laying the B.O.E. soling on labour rate.	.....	Per M <sup>2</sup> =	
7.	Laying the flat soling on labour rate	.....	Per M <sup>2</sup> =	
8.	Supply of 25 to 50 mm gauge Butwal stone ballast including loading unloading and cartage complete	.....	Per M <sup>3</sup> =	
9.	Consolidation of stone ballast by road roller as per directed by E/I.	7.60	M <sup>3</sup>	2773/80
10.	Water allowance from 15th Nov. to 31st May	.....	Per M <sup>3</sup> =	
11.	Laying 750 mm thick B.S.G. with 20th 50mm size stone ballast including Key aggregate with tack coat of 80/100 maxphalt and compacted with road roller as per directed by E/E at Site	.....	Per M <sup>2</sup> =	
12.	First cost painting with 12 to 20 mm size stone grit with tack coat of 80/100 maxphalt including loading unloading computer.	.....	Per M <sup>2</sup> =	
13.	2 cm thick carpeting with 80/100 maxphalt heatign at required temperature including mixing and spreading complete with fuel wood.	.....	Per M <sup>2</sup> =	
14.	Cleaning and premixing surface and doing seal coat with 6mm chips complete.	.....	Per M <sup>2</sup> =	

S/S G.S.B

7.60 - m<sup>3</sup>

1/2 2cm thick Rubber mastic 9/L

96.44 m<sup>2</sup> - 946

Per M<sup>3</sup> = 295/-

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	10.92	Per M <sup>3</sup>	120/-
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1.6:12 with cement sand and 4cm gauge brick ballast in foundation complete	2.28	Per M <sup>3</sup>	3160/-
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	.....	Per M <sup>2</sup>	
21.	M-150 class B/W in 1:3 cement and approved coarse sand mortar in foundation plinth complete	6.75	Per M <sup>2</sup>	4550/-
22.	Cement plaster 1:4 cement and sand mortar on wall complete	23.16	Per M <sup>2</sup>	125/-
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	.....	Per M <sup>2</sup>	
	2 cm 1:2:4	0.61 m <sup>2</sup>		4510/-

Sl. No.	Particular	Qty.	Unit	Rate
24/a.	Cement struck pointing 1:2 cement and sand mortar complete.	.....	Per M <sup>2</sup> =	
24/b.	Cement flush pointing 1:2 cement and sand mortar complete for flush pointing	.....	Per M <sup>2</sup> =	
25/a	R.C.C. work 1:2:4: cement approved coarse sand and 2cm gauge stone grit including centering and shuttering complete excluding cost of reinforcement.	.....	Per M <sup>3</sup> =	
25/b	Same as above item No. 25/a but for R.C.C. beam cement 1:2:4: complete	.....	Per M <sup>3</sup> =	
26.	Supply of M.S. reinforcement in R.C.C. work including its cutting and bending complete.	.....	Per Qtls.	
27/a	Supply of M.S. plate including loading unloading and cartage labour T&P etc. complete.	.....	Per Kg.	
27/b.	Same as above item No. 27/a but for fabrication M.S. Iron grill work complete of M.S.I. (8)	.....	Per Kg.	
28.	B.O.E. floor with 1:6 cement sand mortar with painting 1:2 cement sand mortar over 8 cm thick base coarse 1:6:12 with cement sand and 4 cm brick ballast.	.....	Per M <sup>2</sup> =	

### Deduction :

(a)	Cost of Old bricks	5.6	Per thousand	5200/-
(b)	Cost of Old brick bats.	1.65	55.00 Per M <sup>3</sup>	1200/-

Note

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.

4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

1- Rates are (a) in Figure \_\_\_\_\_ % above/below (b) in words \_\_\_\_\_ % above/below.

2- Cutting or overwriting \_\_\_\_\_ No./Yes

3- E. M Attached \_\_\_\_\_ No./Yes

4- Any other \_\_\_\_\_

Assistant Engineer

Executive Engineer

# NAGAR NIGAM, GORAKHPUR

Name of Work :- Repairing of drain from H/o Shankar Bhatt to H/o Surya Prasad & H/o Malak Rajbhar to H/o Devnath in ward-17.

Estimated Cost Rs : 235057.00

Earnest Money Rs : 23506.00

Due Date of Tender :- ~~16-09-2019~~ ~~14-10-19~~ ~~15-11-19~~ ~~17-1-20~~

Name of Contractor Sri :-

Junior Engineer :- *[Signature]*  
22/8/19.

*[Signature]*  
**Assistant Engineer**

*[Signature]*  
**Executive Engineer**

## BILL OF QUANTITY FOR ROAD WORK / DRAIN WORK

S.No.	Particular	Quantity	Unit	Rate
1	Dismantling of old brick work in lime or cement mortar including stacking with in 60m.	3.60	Cum	400.00
2	E/W excavation in foundation with ordinary soil with all complete work. S.I.N. 251+258(b)	48.00	Cum	120.00
3	P/L of base concrete in 1:6:12 with cement, l-Sand and 40mm S/B including mat. Lab. T&P,etc all complete.	11.34	Cum	3160.00
4	M 150 class brick work in 1:4 with cement & approved Course Sand mortar including supply all material and S.I.N. labor etc. S.I.N 305A	31.00	Cum	4550.00
5	12mm thick plaster with 1 : 4 cement mortar with all complete. S.I.N. 584	233.00	Sqm	125.00
6	Laying C.C in 1:2:4 for the road work with cement, Course Sand 20 mm & Stone Grit including supply of all material and labour etc.	2.50	Cum	6510.00
7	Cleaning of silt in drain with including etc. all complete of work.	3.00	Nos	285.00
8	RCC Work with cement concrete (1:2:4) including all completion of work.	1.05	Cum	8325.00
9	M.S or iron work in reinforcement cutting bending, binding, and placing incl. etc. all.	0.63	Qtl.	4700.00
10	Deduction cost of dismental materials -			
11	Old brick	828.00	Nos.	5.80
12	Old brick bats.	1.80	Cum	1200.00



Note

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.

4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure ----- % above/below
- (b) in words ----- % above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer

7/17  
17/1/20

# NAGAR NIGAM, GORAKHPUR

Name of Work : *मि. 18 नगर निगम में सड़क का सफाई कार्य*  
*मि. 18 नगर निगम में सड़क का सफाई कार्य*

Estimated Cost : *₹ 43905*

Earnest Money Rs. : *₹ 43905*

Due date of Tender : *17/1/20*

Name of Contractor Sri. : .....

Junior Engineer *[Signature]* : .....

*[Signature]*  
Assistant Engineer

*[Signature]*  
Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	<i>52114</i>	Per M <sup>3</sup> =	<i>317/-</i>
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup> =	
5.	Same as above item no. 3 but for flaisoling with Sob Bricks.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
6.	Laying the B.O.E. soling on labour rate.	.....	Per M <sup>2</sup> =	
7.	Laying the flat soling on labour rate	.....	Per M <sup>2</sup> =	
8.	Supply of 25 to 50 mm gauge Butwal stone ballast including loading unloading and cartage complete <i>3/5 Cr. S. B</i>	<i>28.39</i> m <sup>3</sup>	Per M <sup>3</sup> =	<i>2773/80</i>
9.	Consolidation of stone ballast by road roller as per directed by E/I.	<i>28.39</i>	Per M <sup>3</sup> =	<i>295/-</i>
10.	Water allowance from 15th Nov. to 31st May <i>P/L 80mm thick Rubber matted g/L</i>	.....	Per M <sup>3</sup> =	<i>283.94 - m<sup>2</sup> - 946</i>
11.	Laying 750 mm thick B.S.G. with 20th 50mm size stone ballast including Key aggregate with tack coat of 80/100 maxphalt and compacted with road roller as per directed by E/E at Site	.....	Per M <sup>2</sup> =	
12.	First cost painting with 12 to 20 mm size stone grit with tack coat of 80/100 maxphalt including loading unloading computer.	.....	Per M <sup>2</sup> =	
13.	2 cm thick carpeting with 80/100 maxphalt heatign at required temperature including mixing and spreading complete with fuel wood.	.....	Per M <sup>2</sup> =	
14.	Cleaning and premixing surface and doing seal coat with 6mm chips complete.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	4.55	Per M <sup>3</sup>	120/-
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1:6:12 with cement sand and 4cm gauge brick ballast in foundation complete	1.30	Per M <sup>3</sup>	3160/-
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	.....	Per M <sup>2</sup>	
21.	M-150 class B/W in 1:4 cement and approved coarse sand mortar in foundation plinth complete	10.01	Per M <sup>2</sup>	4550/-
22.	Cement plaster 1:4 cement and sand mortar on wall complete	50.25	Per M <sup>2</sup>	125/-
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete. c-c in 1:2:4	..... 1.33 m <sup>3</sup>	Per M <sup>2</sup>	6510/-

Note

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.

4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**


- 1- Rates are (a) in Figure \_\_\_\_\_ % above/below (b) in words \_\_\_\_\_ % above/below.
- 2- Cutting or overwriting \_\_\_\_\_ No./Yes
- 3- E. M Attached \_\_\_\_\_ No./Yes
- 4- Any other \_\_\_\_\_

Assistant Engineer

Executive Engineer

8/17  
17/1/20
15/11/19

# NAGAR NIGAM, GORAKHPUR

Name of Work : ~~Work at main road~~ .....  
 Estimated Cost : ~~101464-~~ .....  
 Earnest Money Rs. : ~~10146-~~ .....  
 Due date of Tender : ~~15.11.19~~ 17.1.20 .....  
 Name of Contractor Sri. : .....  
 Junior Engineer :  .....

Assistant Engineer

  
 Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	.....	Per M <sup>3</sup> =	
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup> =	
5.	Same as above item no. 3 but for flaisoling with Sob Bricks.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4 5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	<u>21.60</u>	Per M <sup>3</sup> =	120.
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1.6:12 with cement sand and 4cm gauge brick ballast in foundation complete	<u>51.26</u>	Per M <sup>3</sup> =	3160
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	<u>19.44</u>	Per M <sup>3</sup> =	4500 ..
21.	M-150 class B/W in 1:3 cement and approved coarse sand mortar in foundation plinth complete	.....	Per M <sup>2</sup> =	
22.	Cement plaster 1:4 cement and sand mortar on wall complete	<u>121.20</u>	Per M <sup>2</sup> =	125.-
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	.....	Per M <sup>2</sup> =	

Note:

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

- 3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.
- 4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates are (a) in Figure \_\_\_\_\_ % above/below (b) in words \_\_\_\_\_ % above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer



9/1/19
13/2/19
18/2/19
18/11/19

# NAGAR NIGAM, GORAKHPUR

Name of Work :-- Improvement of road by interlocking tiles and drain work from H/o Rakesh Gupta to Hriram Singh in ward-54 Bhediya gadh.

Estimated Cost Rs : 480207.00

Earnest Money Rs : 48021.00

Due Date of Tender : ~~16-09-2019~~ 18/11/19 18/11/19 18/11/19

Name of Contractor Sri :-

Junior Engineer :- 18/11/19

  
Assistant Engineer

  
Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK / DRAIN WORK

S.No.	Particular	Quantity	Unit	Rate
1	Dismantling of old brick work in lime or cement mortar including stacking with in 60m.	10.00	Cum	400.00
2	E/W excavation in foundation with ordinary soil with all complete work. S.I.N. 251+258(b)	13.00	Cum	120.00
3	Earth work in filling with cartage upto 10Km diastance at site including dracing and leveling etc all complete.	76.00	Cum	317.00
4	P/L of base concrete in 1:6:12 with cement, L-Sand and 40mm S/B including mat. Lab. T&P,etc all complete.	6.00	Cum	3160.00
5	M 150 class brick work in 1:4 with cement & approved Course Sand mortar including supply all material and S.I.N. labor etc. S.I.N 305A	18.00	Cum	4550.00
6	12mm thick plaster with 1 : 4 cement mortar with all complete. S.I.N. 584	76.00	Sqm	125.00
7	Laying C.C in 1:2:4 for the road work. with cement, Course Sand 20 mm & Stone Grit including supply of all material and labour etc.	1.85	Cum	6510.00
8	P/Laying of SOB flat soling including Labour T&P etc. all complete work.	102.00	Sqm	280.00
9	S/Laying of GSB Grade- 1 including etc. all complete of work.	24.00	Cum	2773.80
10	Consolidation of GSB upto 10 cm thick loose layer by Road Roller including etc. all complete.	24.00	Cum	295.00

11	Water allowance to be allowed on above incl.Lab. T&P,etc all complete.	24.00	Cum	34.50
12	P/Laying of 80mm thick Rubber moulded (Zig-Zag) with fine sand base level and joint filling in fine sand including material, labour T&P etc. all complete of	242.00	Sqm	946.00
13	Cleaning of silt in drain with including etc. all complete of work.	3.00	job	285.00
14	RCC Work with cement concrete (1:2:4) including all completion of work.	1.25	Cum	8325.00
15	M.S or iron work in reinforcement cutting bending , binding ,and placeing incl. etc. all.	0.75	qtl	4700.00
16	Deduction cost of dismental materials -			
	Old brick	2070.00	Nos	5.80
	Old brick bats	5.50	Cum	1200.00

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below  
(in words) \_\_\_\_\_  
or mentioned estimated rates.

4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure ----- % above/below  
(b) in words ----- % above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer

10/17  
27.1.20

# NAGAR NIGAM, GORAKHPUR

Name of Work : *गौरीगंगा नगरपालिकाको बाटोको सफाई र मर्मत*  
Estimated Cost : *रु. 51920/-*  
Earnest Money Rs. : *रु. 51920/-*  
Due date of Tender : *27.1.20*  
Name of Contractor Sri. :  
Junior Engineer : *[Signature]*

*[Signature]*  
Assistant Engineer

*[Signature]*  
Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	<i>6.184</i>	Per M <sup>2</sup>	<i>400.00</i>
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup>	=
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	.....	Per M <sup>3</sup>	=
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup>	=
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup>	=
5.	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>2</sup>	=

Sl. No.	Particular	Qty.	Unit	Rate
6.	Laying the B.O.E. soling on labour rate.	.....	Per M <sup>2</sup> =	
7.	Laying the flat soling on labour rate	75.44	Per M <sup>2</sup> =	280.00
8.	Supply of 25 to 50 mm gauge Butwal stone ballast including loading unloading and cartage complete	..... 22.50	Per M <sup>3</sup> =	2773.80
9.	Consolidation of stone ballast by road roller as per directed by E/I.	22.52	Per M <sup>3</sup> =	295.00
10.	Water allowance from 15th Nov. to 31st May	22.50	Per M <sup>3</sup> =	34.50
11.	Laying 750 mm thick B.S.G. with 20th 50mm size stone ballast including Key aggregate with tack coat of 80/100 maxphalt and compacted with road roller as per directed by E/E at Site	22.52	Per M <sup>2</sup> =	24.00
12.	First cost painting with 12 to 20 mm size stone grit with tack coat of 80/100 maxphalt including loading unloading computer.	.....	Per M <sup>2</sup> =	
13.	2 cm thick carpeting with 80/100 maxphalt heatign at required temperature including mixing and spreading complete with fuel wood.	.....	Per M <sup>2</sup> =	
14.	Cleaning and premixing surface and doing seal coat with 6mm chips complete.	.....	Per M <sup>2</sup> =	

8(a) G.F.A. 53-9.52

10(a) 1st microw blow

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	.....	Per M <sup>3</sup>	120.00
		.....	Per Day	3790.00
		.....	Per Day	4700.00
17.	Diversion and demateg flow of water	.....	Per Day	
17(a)	ms. g. m.	.....		
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1:6:12 with cement sand and 4cm gauge brick ballast in foundation complete	.....	Per M <sup>3</sup>	3160.00
19(a)	see 1:2:4	.....	"	6510.00
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	.....	Per M <sup>3</sup>	4550.00
21.	M-150 class B/W in 1:3 cement and approved coarse sand mortar in foundation plinth complete	.....	Per M <sup>2</sup>	
22.	Cement plaster 1:4 cement and sand mortar on wall complete	.....	Per M <sup>2</sup>	125.00
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	.....	Per M <sup>2</sup>	

Sl. No.	Particular	Qty.	Unit	Rate
24/a.	Cement struck pointing 1:2 cement and sand mortar complete	.....	Per M <sup>2</sup> =	
24/b.	Cement flush pointing 1:2 cement and sand mortar complete for flush pointing	.....	Per M <sup>2</sup> =	
25/a	R.C.C. work 1:2:4: cement approved coarse sand and 2cm gauge stone grit including centering and shuttering complete excluding cost of reinforcement.	.....	Per M <sup>3</sup> =	
25/b	Same as above item No. 25/a but for R.C.C. beam cement 1:2:4: complete	.....	Per M <sup>3</sup> =	
25(c)	lay of ee Rat 1:1½:3	27.44		9130. *
26.	Supply of M.S. reinforcement in R.C.C. work including its cutting and bending complete.	.....	Per Qtls.	
26(a)	no more 2 hrs	75.44		946.00
27/a	Supply of M.S. plate including loading unloading and cartage labour T&P etc. complete.	.....	Per Kg.	
27/b.	Same as above item No. 27/a but for fabrication M.S. Iron grill work complete of M.S.I. (8)	.....	Per Kg.	
27(c)	Rand Cutty	75.44		35.16
27(d)	P.V.C.	15.44		469.44
28.	B.O.E. floor with 1:6 cement sand mortar with painting 1:2 cement sand mortar over 8 cm thick base coare 1:6:12 with cement sand and 4 cm brick ballast.	.....	Per M <sup>2</sup> =	

### Deduction :

(a)	Cost of Old bricks	2904 1/2	Per thousand	5.00
(b)	Cost of Old brick bats.	3.710	55.00 Per M <sup>2</sup>	120.00

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

- 3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.
- 4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

-----  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure ----- % above/below  
(b) in words ----- % above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer



Executive Engineer



~~11/19~~ ~~17.1.20~~ ~~9/19~~ ~~15/11/19~~ ~~23/30~~ ~~9/13~~ ~~23/25~~  
~~29.0.19~~ ~~16.9.19~~ ~~14.10.19~~ ~~18/11/19~~

# NAGAR NIGAM, GORAKHPUR

Name of Work : गोरगढ़ के डाकघर इमारत में सड़क का काम  
 Estimated Cost : ₹ 320.51  
 Earnest Money Rs. : ₹ 320.51  
 Due date of Tender : ~~29.0.19~~ ~~16.9.19~~ ~~14.10.19~~ ~~18/11/19~~  
 Name of Contractor Sri. : [Signature]  
 Junior Engineer : [Signature]

  
 Assistant Engineer
 
  
 Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	.....	Per M <sup>3</sup> =	
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
3c	E/W in cutting or embankment of 88.20m @ 100/M			
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks		Per M <sup>2</sup> =	
5.	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
15/a	Brick edging both side of road 9" deep and 4 5" wide complete	.....	Per RMT	
15/b	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead <sup>50 m.</sup> 20.00 m and lift 1.50 m complete.	11.76 m <sup>3</sup>	Per M <sup>3</sup>	120 / m <sup>3</sup>
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1:6:12 with cement sand and 4cm gauge brick ballast in foundation complete	3.92 m <sup>3</sup>	Per M <sup>3</sup>	3160 / m <sup>3</sup>
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	9.21 m <sup>3</sup>	Per M <sup>3</sup>	4550 / m <sup>3</sup>
21.	M-150 class B/W in 1:3 cement and approved coarse sand mortar in foundation plinth complete	.....	Per M <sup>2</sup>	
22.	12mm thick Cement plaster 1:4 cement and sand mortar on wall complete	38.22 m <sup>2</sup>	Per M <sup>2</sup>	135 / m <sup>2</sup>
23.	20) Plaster as per approved specifications Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	13.50 m <sup>2</sup>	Per M <sup>2</sup>	2773.80 / m <sup>2</sup>

Sl. No.	Particular	Qty.	Unit	Rate
24/a.	Cement struck pointing 1:2 cement and sand mortar complete.	.....	Per M <sup>2</sup> =	
24(B)	consolidation of G.S.B shell.	13.52m <sup>3</sup>		₹ 210/m <sup>3</sup>
24/c	Cement flush pointing 1:2 cement and sand mortar complete for flush pointing	.....	Per M <sup>2</sup> =	
24/d	Water Alone.	13.52m <sup>3</sup>		₹ 34.50/m <sup>3</sup>
25/a	R.C.C. work 1:2:4: cement approved coarse sand and 2cm gauge stone grit including centering and shuttering complete excluding cost of reinforcement.	.....	Per M <sup>3</sup> =	
25(B)	cc in 1:2:4 cement grade or 1/8" stone grit at all	0.676m <sup>3</sup>		₹ 6570/m <sup>3</sup>
25/c	Same as above item No. 25/a but for R.C.C: beam cement 1:2:4: complete	.....	Per M <sup>3</sup> =	
25(D)	80mm thick R/M. JL like of d 202mm	112.70m <sup>2</sup>		₹ 960/m <sup>2</sup>
26.	Supply of M.S. reinforcement in R.C.C. work including its cutting and bending complete.	.....	Per Qtls.	
26(a)	dispose of sulphuric - scrubber	85.96m <sup>3</sup>		₹ 117.00/m <sup>3</sup>
27/a	Supply of M.S. plate including loading unloading and cartage labour T&P etc. complete.	.....	Per Kg.	
27/b.	Same as above item No. 27/a but for fabrication M.S. Iron grill work complete of M.S.I. (8)	.....	Per Kg	
23.	B.O.E. floor with 1:6 cement sand mortar with painting 1:2 cement sand mortar over 8 cm thick base coare 1:6:12 with cement sand and 4 cm brick ballast.	.....	Per M <sup>2</sup> =	

### Deduction :

(a)	Cost of Old bricks	---	Per thousand
(b)	Cost of Old brick bats.	---	55.00 Per M <sup>2</sup>

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

- 3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.

- 4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

1- Rates area (a) in Figure ----- % above/below  
 (b) in words----- % above/below.

- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

**Assistant Engineer**

**Executive Engineer**

12/17  
17.1.20

# NAGAR NIGAM, GORAKHPUR

Name of Work : सड़क काटने का काम  
Estimated Cost : ₹ 5,14,967/-  
Earnest Money Rs. : ₹ 5,14,967/-  
Due date of Tender : 17.1.20  
Name of Contractor Sri. :  
Junior Engineer :

[Signature]  
Assistant Engineer

[Signature]  
Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	.....	Per M <sup>3</sup> =	
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>2</sup> =	
5.	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	.....	Per M <sup>3</sup> =	
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const work complete		L.S.	
19.	<del>P.C.C. 1.6:12 with cement sand and 4cm gauge brick ballast in foundation complete</del> <i>Complete layer of Domestic Rubber masonry Interlocking including base sand and complete the wall with Angliron.</i>		Per M <sup>2</sup> =	420 sqm 966/-
20.	M-150 class B/W in 1:4 cement and <sup>conc</sup> sand mortar in foundation and plinth complete	18.396	Per M <sup>2</sup> =	4550/-
21.	M-150 class B/W in 1:4 cement and approved coarse sand mortar in foundation plinth complete	97.20	Per M <sup>2</sup> =	125/-
22.	<del>Cement plaster 1:4 cement and sand mortar on wall complete</del> <i>conc coarse sand and stone grit</i>	3.340	Per M <sup>2</sup> =	650/-
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	.....	Per M <sup>2</sup> =	

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

- 3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (iii words) \_\_\_\_\_ or mentioned estimated rates.
- 4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure \_\_\_\_\_ % above/below  
(b) in words \_\_\_\_\_ % above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer

3/17

17.12.20

**NAGAR NIGAM, GORAKHPUR**

किसी भी अतिरिक्त या कम कामों के लिए अतिरिक्त अनुमति

Name of Work : का. ए. 1/1/1

Estimated Cost : ₹ 396934-

Earnest Money Rs. : ₹ 39694-

Due date of Tender : 17.12.20

Name of Contractor Sri. : .....

Junior Engineer : R.K. Pandey

  
Assistant Engineer

  
Executive Engineer

**BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK**

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	.....	Per M <sup>3</sup> =	
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	.....	Per M <sup>3</sup> =	
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup> =	
5.	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>2</sup> =	



Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	14.44	Per M <sup>3</sup>	120.00
16-A	Two Coat wall painting w/p	396.00		92.00
17.	Diversion and demateg flow of water	.....	Per Day	
17A	Two coat oil painting	4.95		69.00
18.	Closing of site before & after const. work Complete	.....	L.S.	
18/A	M.S. work (Rail & Guts)	229.25	kg	56.50
19.	P.C.C. 1.6:12 with cement sand and 4cm gauge brick ballast in foundation complete	3.84	Per M <sup>3</sup>	3160.00
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	54.00	Per M <sup>3</sup>	4550.00
21.	M-150 class B/W in 1:3 cement and approved coarse sand mortar in foundation plinth complete	.....	Per M <sup>3</sup>	
22.	Cement plaster 1:4 cement and sand mortar on wall complete	.....	Per M <sup>2</sup>	
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	396.00	Per M <sup>2</sup>	155.00
23A	CC in 1:2:4	2.76		6510.00

Note.

All the above work will be carried out as per P.W.D Detail Specification and to entire satisfaction of All

- 1- I/We deposited earnest money (Yes/No)
- 2- Details of deposited money is as under:-

Type of earnest Money and No.	Issuing institute	Date of issue	Amount

- 3- I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below (in words) \_\_\_\_\_ or mentioned estimated rates.

- 4- I/We agree with terms and conditions and specification of work on Nagar Nigam Gorakhpur.

\_\_\_\_\_  
Contractor

**(For Official Use)**

- 1- Rates area (a) in Figure ----- % above/below  
(b) in words----- % above/below.
- 2- Cutting or overwriting No./Yes
- 3- E. M Attached No./Yes
- 4- Any other

Assistant Engineer

Executive Engineer

H/17  
17/1/20

# NAGAR NIGAM, GORAKHPUR

Name of Work : गस-801498 का चक्रे प्रोजेक्ट का चक्रे (सि.स.स.स.)  
सो.ग.न. का चक्रे

Estimated Cost : ₹. 2,35,443.

Earnest Money Rs. : ₹. 23,544.

Due date of Tender : 17/1/20

Name of Contractor Sri. : .....

Junior Engineer : R.K. Pandey

  
 Assistant Engineer

  
 Executive Engineer

## BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling etc all the labour T&P etc. complete. <i>Individually</i>	155.00	Per M <sup>2</sup>	7.00
2.	Dismantling old and damaged B/work including stacking of material etc.	8.40	Per M <sup>3</sup>	400.00
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	27.12	Per M <sup>3</sup>	317.00
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup>	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup>	
5.	Same as above item no. 3 but for flalsoling with-Sob Bricks.	.....	Per M <sup>2</sup>	

Sl. No.	Particular	Qty.	Unit	Rate
6.	Laying the B.O.E. soling on labour rate.	.....	Per M <sup>2</sup> =	
7.	Laying the flat soling on labour rate	.....	Per M <sup>2</sup> =	
8.	Supply of <sup>C.S.B.</sup> <del>25 to 50</del> mm gauge Butwal stone ballast including loading unloading and cartage complete	12.00 .....	Per M <sup>3</sup> =	2773.00 <del>3580.00</del>
9.	Consolidation of stone ballast by road roller as per directed by E/I.	12.00 .....	Per M <sup>3</sup> =	210.00
10.	Water allowance from 15th Nov. to 31st May	12.00 .....	Per M <sup>3</sup> =	34.50
11.	Laying 750 mm thick B.S.G. with 20th 50mm size stone ballast including Key aggregate with tack coat of 80/100 maxphalt and compacted with road roller as per directed by E/E at Site	160.00 867.00	Per M <sup>2</sup> =	867.00
12.	80mm interlocking First cost painting with 12 to 20 mm size stone grit with tack coat of 80/100 maxphalt including loading unloading computer.	.....	Per M <sup>2</sup> =	
13.	2 cm thick carpeting with 80/100 maxphalt heatign at required temperature including mixing and spreading complete with fuel wood.	.....	Per M <sup>2</sup> =	
14.	Cleaning and premixing surface and doing seal coat with 6mm chips complete.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	8.852	Per M <sup>3</sup>	445
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1.6:12 with cement sand and 4cm gauge brick ballast in foundation complete	3.312	Per M <sup>3</sup>	3160.00
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	8.832	Per M <sup>3</sup>	4550.00
21.	M-150 class B/W in 1:3 cement and approved coarse sand mortar in foundation plinth complete	.....	Per M <sup>3</sup>	
22.	Cement plaster 1:4 cement and sand mortar on wall complete	37.80	Per M <sup>2</sup>	125.00
22/4	CC in 1:2:4	1.932		6510.00
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	.....	Per M <sup>2</sup>	

Sl. No.	Particular	Qty.	Unit	Rate
24/a.	Cement struck pointing 1:2 cement and sand mortar complete	.....	Per M <sup>2</sup> =	
24/b.	Cement flush pointing 1:2 cement and sand mortar complete for flush pointing	.....	Per M <sup>2</sup> =	
25/a	R.C.C. work 1:2:4: cement approved coarse sand and 2cm gauge stone grit including centering and shuttering complete excluding cost of reinforcement.	2.80 .....	Per M <sup>3</sup> =	8325/-
25/b	Same as above item No. 25/a but for R.C.C. beam cement 1:2:4: complete	.....	Per M <sup>3</sup> =	
26.	Supply of M.S. reinforcement in R.C.C. work including its cutting and bending complete.	2.712 .....	Per Qtls.	4700
27/a	Supply of M.S. plate including loading unloading and cartage labour T&P etc. complete.	.....	Per Kg.	
27/b.	Same as above item No. 27/a but for fabrication M.S. Iron grill work complete of M.S.I. (8)	.....	Per Kg.	
28.	B.O.E. floor with 1:6 cement sand mortar with painting 1:2 cement sand mortar over 8 cm thick base coare 1:6:12 with cement sand and 4 cm brick ballast.	.....	Per M <sup>2</sup> =	

### Deduction :

(a)	Cost of Old bricks	1422	Per thousand	5.80
(b)	Cost of Old brick bats.	4.636	55.00 Per M <sup>2</sup>	1900
c	0-611/L	2713		1700

Note :

All the above work will be carried out as per P.W.D detail specification and to entire satisfaction of A/I.

1. I/We deposited earnest money.
2. I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below  
(in words) \_\_\_\_\_  
Or \_\_\_\_\_ Mentioned estimated rates.
3. I/We agree with terms and conditions and specification of work of Nagar Nigam Gorakhpur.

.....  
**Contractor**

**(For Official)**

1. Rates area (a) in figure \_\_\_\_\_ % above/below (b) in words \_\_\_\_\_ % above/below.
2. Cutting or overwriting No / Yes
3. E.M. Attached No / Yes
4. Any other

Assistant Engineer

Executive Engineer

15/17  
-----  
17-1-20

## NAGAR NIGAM, GORAKHPUR

Name of Work : *GIS-68 पुर्णाना स्टावरुग न बहायलकन नानुभुवन 2/14/17*  
*न. 2/14/17 न. 1/2/20 न. 1/2/20 न. 1/2/20*

Estimated Cost : *Rs. 192443*

Earnest Money Rs. : *Rs. 19244*

Due date of Tender : *17-1-20*

Name of Contractor Sri. : *R*

Junior Engineer : *R*

*R*  
Assistant Engineer

*R*  
Executive Engineer

### BILL OF QUANTITY FOR ROAD WORK/DRAIN WORK

Sl. No.	Particular	Qty.	Unit	Rate
1.	Dismantling old and damaged boe Soling i/c all the labour T&P etc. complete.	.....	Per M <sup>2</sup> =	
2.	Dismantling old and damaged B/work including stacking of material etc.	<i>1.375</i>	Per M <sup>3</sup> =	<i>4100</i> / -
	<i>Dismantling of damage JIL</i>	<i>166.4</i>	m <sup>2</sup>	<i>71</i> / -
3/a	E/W filling including cartage the earth upto 8.00 Km including ramming, dressign and leveling etc. complete	.....	Per M <sup>3</sup> =	
3/b	Same above but up to 4.00 Km.	.....	Per M <sup>3</sup> =	
4	Laying the B.O.E. soling laid on edge with prescribed camber and slope with Sob Bricks	.....	Per M <sup>3</sup> =	
5.	Same as above item no. 3 but for flalsoling with Sob Bricks.	.....	Per M <sup>2</sup> =	



Sl. No.	Particular	Qty.	Unit	Rate
6.	Laying the B.O.E. soling on labour rate.	.....	Per M <sup>2</sup> =	
7.	Laying the flat soling on labour rate	.....	Per M <sup>2</sup> =	
8.	Supply of 25 to 50 mm gauge Butwal stone ballast including loading unloading and cartage complete	.....	Per M <sup>3</sup> =	
9.	<i>s/s G.S.B</i> Consolidation of stone ballast by road roller as per directed by E/I.	<i>7.04 m<sup>3</sup></i> .....	Per M <sup>3</sup> =	<i>2723/80</i> <i>21/-</i>
10.	Water allowance from 15th Nov. to 31st May <i>p/l 80mm thick Rubber milled S/L</i>	<i>7.04</i> .....	Per M <sup>3</sup> =	<i>31/50</i> <i>946/-</i>
11.	Laying 750 mm thick B.S.G. with 20th 50mm size stone ballast including Key aggregate with tack coat of 80/100 maxphalt and compacted with road roller as per directed by E/E at Site	.....	Per M <sup>2</sup> =	
12.	First cost painting with 12 to 20 mm size stone grit with tack coat of 80/100 maxphalt including loading unloading computer.	.....	Per M <sup>2</sup> =	
13.	2 cm thick carpeting with 80/100 maxphalt heatign at required temperature including mixing and spreading complete with fuel wood.	.....	Per M <sup>2</sup> =	
14.	Cleaning and premixing surface and doing seal coat with 6mm chips complete.	.....	Per M <sup>2</sup> =	

Sl. No.	Particular	Qty.	Unit	Rate
15/a.	Brick edging both side of road 9" deep and 4.5" wide complete	.....	Per RMT	
15/b.	Same as above item No. 15/a but for 4 1/2" deep and 3" wide.	.....	Per RMT	
16.	Earth work in excavation of foundation in ordinary soil including lead 20.00 m and lift 1.50 m complete.	.....	Per M <sup>3</sup> =	
17.	Diversion and demateg flow of water	.....	Per Day	
18.	Closing of site before & after const. work Complete	.....	L.S.	
19.	P.C.C. 1.6:12 with cement sand and 4cm gauge brick ballast in foundation complete	.....	Per M <sup>3</sup> =	
20.	M-150 class B/W in 1:4 cement and sand mortar in foundation and plinth complete	.....	Per M <sup>2</sup> =	
21.	M-150 class B/W in 1:3/4 cement and approved coarse sand mortar in foundation plinth complete	3.229	Per M <sup>2</sup> =	4550/-
22.	Cement plaster 1:4 cement and sand mortar on wall complete	14.04	Per M <sup>2</sup> =	125/-
	C.C.W 1:2:4	0.358 m <sup>3</sup>		6510/-
23.	Cement plaster 1:3 cement and approved coarse sand mortar on wall complete.	.....	Per M <sup>2</sup> =	

Si. No.	Particular	Qty.	Unit	Rate
24/a.	Cement struck pointing 1:2 cement and sand mortar complete.	.....	Per M <sup>2</sup> =	
24/b.	Cement flush pointing 1:2 cement and sand mortar complete for flush pointing	.....	Per M <sup>2</sup> =	
25/a	R.C.C. work 1:2:4: cement approved coarse sand and 2cm gauge stone grit including centering and shuttering complete excluding cost of reinforcement.	.....	Per M <sup>3</sup> =	
25/b	Same as above item No. 25/a but for R.C.C. beam cement 1:2:4: complete	.....	Per M <sup>3</sup> =	
26.	Supply of M.S. reinforcement in R.C.C. work including its cutting and bending complete.	.....	Per Qtls.	
27/a	Supply of M.S. plate including loading unloading and cartage labour T&P etc. complete.	.....	Per Kg.	
27/b.	Same as above item No. 27/a but for fabrication M.S. Iron grill work complete of M.S.I. (8)	.....	Per Kg.	
28.	B.O.E. floor with 1:6 cement sand mortar with painting 1:2 cement sand mortar over 8 cm thick base coarse 1:6:12 with cement sand and 4 cm brick ballast	.....	Per M <sup>2</sup> =	

**Deduction :**

(a)	Cost of Old bricks	---	Per thousand
(b)	Cost of Old brick bats.	1.325	55.00 Per M <sup>3</sup> 1200/m <sup>3</sup>
Deduction of old 1/2 Bricks		2034 Nos	19/ Per 100

**Note :**

All the above work will be carried out as per P.W.D detail specification and to entire satisfaction of A/I.

- 1. I/We deposited earnest money.
- 2. I/We hereby agree to execute the above work at (in figure) \_\_\_\_\_ above/below  
(in words) \_\_\_\_\_  
Or \_\_\_\_\_ Mentioned estimated rates.
- 3. I/We agree with terms and conditions and specification of work of Nagar Nigam Gorakhpur.

.....  
**Contractor**

**(For Official)**

- 1. Rates area (a) in figure \_\_\_\_\_ % above/below (b) in  
words \_\_\_\_\_ % above/below.
- 2. Cutting or overwriting No / Yes
- 3. E.M. Attached No / Yes
- 4. Any other

**Assistant Engineer**

**Executive Engineer**